



Product Name : Pore-Tight Hydrating Cream

Code Number : 1030603A

Features : Use breathable T.I.O and light oil Salacos 913, add BIOBENEFITY to improve skin elasticity and pores and whitening effect. SAKURA Extract B has improved rough skin, anti-inflammatory effect and whitening effect. Moisturizing effect is a high moisturizing property of TORNARE to prevent dry skin.

Prescription :

|   | Ingredients         | INCI Name   | %     |
|---|---------------------|---|-------|
| A | T.I.O               | Triethylhexanoin                                    | 1.00  |
|   | Salacos 913         | Isotridecyl Isononanoate                            | 3.00  |
|   | EMALEX SEG-07       | Glyceryl Stearate / EG-10 Stearate                  | 3.00  |
|   | EMALEX DSG-3        | Polyglyceryl-3 Distearate                           | 2.00  |
| B | 1,3-BG              | Butylene Glycol                                     | 5.00  |
|   | MP                  | Methylparaben                                       | 0.20  |
|   | Carbopol 980(2%aq.) | Cabomer   | 20.0  |
|   | Deionized Water     | Water   | 62.70 |
|   | ADEKA CARPOL MD-100 | Tetrahydroxypropyl Ethylene Diamine                 | 0.30  |
| C | BIOBENEFITY         | Cynara Scolymus (Artichoke) Leaf Extract            | 2.00  |
|   | SAKURA Extract B    | Prunus Yedoensis Leaf Extract                       | 0.30  |
|   | TORNARE             | Glycosyl Trehalose /Hydrogenated Starch Hydrolysate | 0.50  |
|   | ADEKA NOL OG        | Caprylyl Glycol                                     | 0.10  |
| D | Perfume No.16714    | Fragrance   | 0.10  |

Procedure :

- 1、Max and dissolve A phase at 85°C.
- 2、Max and dissolve B phase at 85°C.
- 3、Using a dispersion mill, add 【2】 to 【1】 and emulsify for 5 minutes at 3000rpm after homogenizer for 5 minutes at 3000rpm.
- 4、Then add C phase to 【3】 , and emulsify for 5 minutes at 3000rpm.
- 5、Cool to 40°C, add add D phase to 【4】 , with paddle mixing.

※This formula is for reference only. If you need to commercialize, please confirm the test※

Prepare by Queena 2014/06/03

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓  
電話: +886 289313301 傳真: +886 289313323 統編:70840978

怡滙國際貿易(上海)有限公司 電話: +86 21 54240077  
香林企業股份有限公司(廣州辦事處) 電話: +86 20 38889468