



Product name : Elastic Gel Foundation

No. : 20170618A

Features : Jelly Feeling, Good Skin Feel, Self Smoothing

Formulation :

| | Ingredients | INCI Name | % |
|--------------------|------------------|---|---------------|
| A | Salacos 816T | Cetyl Ethylhexanoate | 8.00 |
| | SF-9650 | Dimethicone | 2.00 |
| B | Rheogic 260H | Sodium Polyacrylate | 0.10 |
| | 1,3-BG | Butylene Glycol | 8.00 |
| | ADEKA NOL GT-930 | Polyurethane-59/ Butylene Glycol/ Water | 4.00 |
| | ECHOGUM T | Xanthan Gum | 0.10 |
| | Deionized Water | Water | 62.65 |
| | Tornare | Glycosyl Trehalose/ Hydrogenated Starch Hydrolysate | 5.00 |
| | ADEKA NOL OG | Caprylyl Glycol | 0.20 |
| | Phenoxyethanol | Phenoxyethanol | 0.20 |
| | Emalex MC-10 | Caprylic/ Capric Triglyceride/ Triethylhexanoin/ PEG-30 Glyceryl Isostearate/ Polyglyceryl-2 Diisostearate/ PEG-10 Dimethicone/ Dimethicone/ Dipotassium Glycyrrhizate/ Glycerin/ Water | 2.00 |
| | C | PSW-08 | Boron Nitride |
| MiyoAQUA Red | | Red Iron Oxide/ Algin | 0.07 |
| MiyoAQUA Yellow | | Yellow Iron Oxide/ Algin | 0.51 |
| MiyoAQUA Black | | Black Iron Oxide/ Algin | 0.02 |
| MiyoAQUA White | | Titanium Dioxide/ Aluminum Hydroxide/ Algin | 3.63 |
| Dimethicone Mica-2 | | Mica/ Dimethicone | 0.65 |
| MW-SRP-100 | | Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer/ PEG-7 Glyceryl Cocoate/ Polyquaternium-7/ Methylsilanol Tri-PEG-8 Glyceryl Cocoate | 1.45 |
| D | Cosmol 43V | Polyglyceryl-2 Triisostearate | 0.45 |
| | Unifilma HVY | Dextrin Isostearate | 1.05 |

Prepare by Jack 2017/06/18

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: + 886 289313301 傳真: + 886 289313323 統編:70840978

怡滙國際貿易(上海)有限公司 電話: + 86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: + 86 20 38889468



Process :

- 1、 Begin mixing item phase A in container. Heat to 80°C
- 2、 Put RHEOGIC 260H and 1,3-BG in container and mix,then mixing remaining phase B. Heat to 80°C.
- 3、 Add 【2】 to 【1】 slowly and mix.
- 4、 After mix C phase (use Grinder) and slowly add to 【3】 ,stir 1500~2000rpm, then homogenization (3000rpm×3min) .
- 5、 Mixing item phase D and heat to 50°C,then add to 【4】 slowly stir 1500~2000rpm.

※Recommend use Powder Puffs

※This formulation just for reference,if you would like commercialization, please confirm relevant testing.

Prepare by Jack 2017/06/18

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: + 886 289313301 傳真:+ 886 289313323 統編:70840978

怡滙國際貿易(上海)有限公司 電話: + 86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: + 86 20 38889468